



### TYPICAL UTILITY TRENCH DETAIL

#### NOTES:

- 1) THE CITY MAY REQUIRE FIELD GEOTECHNICAL OVERSIGHT AND FIELD DENSITY TESTING TO CONFIRM COMPLIANCE WITH THIS STANDARD. THE COST FOR FIELD OVERSIGHT SHALL BE PAID BY THE OWNER. COMPACTED BACKFILL MATERIAL NOT MEETING THE DENSITY REQUIREMENTS OF THIS STANDARD SHALL BE REMOVED, REPLACED AND RECOMPACTED TO THE CITY'S SATISFACTION.
- 2) UTILITY TRENCHES THAT ARE OUTSIDE OF VEHICULAR TRAFFIC AREAS (I.E. PUE, LANDSCAPED AREAS, ETC.) MAY BE COMPANED TO 90% RD



<b>CITY OF OROVILLE</b> DEPARTMENT OF PUBLIC WORKS		REVISIONS 1-08-07
<b>STANDARD FOR JOINT UTILITY TRENCH DETAIL</b>		DATE 6-16-03
DRAWN BY. <b>R.W.</b>	<b>ERIC M. TEITELMAN, P.E.</b> DIRECTOR OF PUBLIC WORKS DEPARTMENT	SHEET 1 OF 1 <b>MS-01</b>