



City of Oroville

COMMUNITY DEVELOPMENT DEPARTMENT

Donald Rust
DIRECTOR

- 1735 Montgomery Street
Oroville, CA 95965-4897
(530) 538-2425 FAX (530) 538-2426
www.cityoforoville.org

CITY OF OROVILLE MINIMUM DESIGN CRITERIA FOR 2010 CALIFORNIA CODES

WIND DESIGN - Basic Wind Speed = 85 mph (ASCE 07-05 Figure 6-1). Wind Exposure B except near areas of flat open terrain extending ½ mile or more from the building, would be Exposure C.

SEISMIC DESIGN - Category D or as determined by a site specific analysis submitted for review and approval (ASCE 7-05) or Category DO for residential construction.

- Conventional Bracing use column .50 < .75 of Table 2308.12.4 of the California Building Code or comply with conventional bracing in the California Residential Code if applicable.

SOIL SITE - Class is D with a bearing of 1500 psf or as specified in a soil report.

CLIMATE ZONE for California Energy is 11.

CURRENT CODE INFORMATION

The City of Oroville has adopted the following California codes:

- 2010 California Building Code (CBC)
- 2010 California Residential Code (CRC)
- 2010 California Plumbing Code (CPC)
- 2010 California Mechanical Code (CMC)
- 2010 California Electrical Code (CEC)
- 2010 California Energy Code (CEC)
 - 2008 California Energy Standards– Residential & Commercial
- 2010 California Green Building Standards Code (CGBSC)
- 2010 California Fire Code (CFC)
- 2010 California Administrative Code (CAC)

ZONING ORDINANCE - (Ord. No. 1167 (part); Ord. No. 1670 § 24.)

SIGN ORDINANCE - (Ord. No. 1239 § 2 (part).)